JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation
Vol. 70C, No. 4, October–December 1966

INDEX TO VOLUME 70C

January to December 1966

A

Page

Absolute value of g at the National Bureau of Standards... 149
Achenbach, P. R., T. K. Faison, J. C. Davis, A test apparatus for the study of forced air-mixing devices... 25
Apparent thermal radiation properties of an isothermal V-groove with reflecting walls... 275

B

Binary alloys of nickel and iron, corrosion rates of, measured by polarization methods... 187
Burns, G. W., J. S. Gallagher, Reference tables for the Pt-30 percent Rh versus Pt-6 percent Rh thermocouple... 89

C

Calibration of vibrating-sample magnetometers... 255
Case, W. E., R. C. Harrington, Calibration of vibrating-sample magnetometers... 255
Coaxial power meter calibration using a waveguide standard... 127
Console for the rapid and precise comparison of volt boxes... 173
Corrosion rates of binary alloys of nickel and iron measured by polarization methods... 187
Coulometric calibration of microvolumetric apparatus... 1

D

Davis, J. C., T. K. Faison, P. R. Achenbach, A test apparatus for the study of forced air-mixing devices... 25
Davis, L. J., A. F. Kirstein, W. H. Pell, R. M. Woolley, Deflection of centrally loaded thin circular elastic plates on equally spaced point supports... 227
Deflection of centrally loaded thin circular elastic plates on equally spaced point supports... 227
Design and statistical procedures for the evaluation of an automatic gamma-ray point-source calibrator... 53
Dunn, S. T., J. C. Richmond, J. A. Wiebelt, Ellipsoidal mirror reflectometer... 75

E

Edlow, M. H., H. H. Plumb, Reproducibility of germanium resistance thermometers at 4.2 °K... 245
Effect of cold-drawing on the creep behavior of a nickel-4.2 percent aluminum alloy... 195
Effect of temperature and notch geometry on the tensile behavior of a titanium alloy... 5
Ellerbruch, D. A., W. E. Little, Precise reflection coefficient measurements with an untuned reflectometer... 165
Ellipsoidal mirror reflectometer... 75
Engen, G. F., Coaxial power meter calibration using a waveguide standard... 127

F

Fabry-Perot interferometer, oscillating, some harmonic properties... 159
Faison, T. K., J. C. Davis, P. R. Achenbach, A test apparatus for the study of forced air-mixing devices... 25
Formulas, notes on the use of propagation error... 263

G

Gadsden, M., H. M. Williams, Some harmonic properties of an oscillating Fabry-Perot interferometer... 159
Gallagher, J. S., G. W. Burns, Reference tables for the Pt-30 percent Rh versus Pt-6 percent Rh thermocouple... 89
Gamma-ray point source, automatic, design and statistical procedures... 53
Garfinkel, S. B., W. B. Mann, W. J. Youden, Design and statistical procedures for the evaluation of an automatic gamma-ray point-source calibrator... 53
Germanium resistance thermometers at 4.2. °K, reproducibility... 245

H

Harrington, R. D., W. E. Case, Calibration of vibrating-sample magnetometers... 255
Hess, A. E., A versatile ratio instrument for the high ratio comparison of voltage or resistance... 169
Homan, D. N., Some technique for measuring small mutual inductances... 221
Hudson, P. A., A. R. Ondrejka, Measurement standards for low and medium peak pulse voltages... 13

I

Impedance bridge as an equality indicating device, temperature coefficient of rf permeability measurement... 19
Interferometer, wave front reversing, testing of lenses... 65
Isothermal V-groove with specularly reflecting walls, apparent radiation properties... 275

J

Page

Jenkins, W. D., W. A. Willard, The effect of cold-drawing on the creep behavior of a nickel-4.2 percent aluminum alloy... 195
—, —, Effect of temperature and notch geometry on the tensile behavior of a titanium alloy... 5

K

Kirstein, A. F., W. H. Pell, R. M. Woolley, L. J. Davis, Deflection of centrally loaded thin circular elastic plates on equally spaced point supports... 227
Ku, H. H., Notes on the use of propagation of error formulas... 263

L

Lenses, testing of, with the wave front reversing interferometer... 65
Little, W. E., D. A. Ellerbruch, Precise reflection coefficient measurements with an untuned reflectometer... 165
Lowrie, P. H., Jr., Console for the rapid and precise comparison of volt boxes... 173

M

Magnetic transformation and the influence of plastic strain on the shear modulus of Fe-Cr-Ni alloys... 207
Magnetometers, vibrating-sample, calibration... 255
Mann, W. B., S. B. Garfinkel, W. J. Youden, Design and statistical procedures for the evaluation of an automatic gamma-ray point-source calibrator... 53
Marinenko, G., J. K. Taylor, Coulometric calibration of microvolumetric apparatus... 1
Measurement standards for low and medium peak pulse voltages... 13
Microvolumetric apparatus, coulometric calibration... 1
Mikesell, R. P., R. P. Reed, Magnetic transformation and the influence of plastic strain on the shear modulus of Fe-Cr-Ni alloys... 207
Muraoka, K., Testing of lenses with the wave front reversing interferometer... 65

N

Nickel and iron, binary alloys, corrosion rates of, measured by polarization methods... 187
Nickel-4.2 percent aluminum alloy, the effect of cold-drawing on the creep behavior... 195
Notes on the use of propagation of error formulas... 263
Numerical evaluation of thermal radiation characteristics of diffuse cylindrical and conical cavities, a note... 139

O

Ondrejka, A. R., P. A. Hudson, Measurement standards for low and medium peak pulse voltages... 13

P

Peak pulse voltages, low and medium, measurement standards... 13
Peavy, B. A., A note on the numerical evaluation of thermal radiation characteristics of diffuse cylindrical and conical cavities... 139
Pell, W. H., A. F. Kirstein, R. M. Woolley, L. J. Davis, Deflection of centrally loaded thin circular elastic plates on equally spaced point supports... 227
Plumb, H. H., M. H. Edlow, Reproducibility of germanium resistance thermometers at 4.2 °K... 245
Polarization methods, corrosion rates of binary alloys of nickel and iron measured... 187
Power meter, coaxial, calibration using a waveguide standard... 127
Precise reflection coefficient measurements with an untuned reflectometer... 165
Propagation of error formulas, notes on the use... 263

R

Rasmussen, A. L., Temperature coefficient of rf permeability measurement using an impedance bridge as an equality indicating device... 19
Ratio instrument, versatile, for the high ratio comparison of voltage or resistance... 169
Reed, R. P., R. P. Mikesell, Magnetic transformation and the influence of plastic strain on the shear modulus of Fe-Cr-Ni alloys... 207
Reference tables for the Pt-30 percent Rh versus Pt-6 percent Rh thermocouple... 89
Reflectometer, untuned, precise reflection coefficient measurements... 165
Reproducibility of germanium resistance thermometers at 4.2 °K... 245
Richmond, J. C., S. T. Dunn, J. A. Wiebelt, Ellipsoidal mirror reflectometer... 75

S

Page

Schwerdtfeger, W. J., Corrosion rates of binary alloys of nickel and iron measured by polarization methods..... 187
Shear modulus of Fe-Cr-Ni alloys, magnetic transformation and the influence of plastic strain..... 207
Some harmonic properties of an oscillating Fabry-Perot interferometer..... 159
Some techniques for measuring small mutual inductances..... 221

T

Tate, D. R., Absolute value of g at the National Bureau of Standards..... 149
Taylor, J. K., G. Marinenko, Coulometric calibration of microvolumetric apparatus..... 1
Temperature coefficient of rf permeability measurement using an impedance bridge as an equality indicating device..... 19
Test apparatus for the study of forced air-mixing devices..... 25
Testing of lenses with the wave front reversing interferometer..... 65
Thermal radiation, a note on the numerical evaluation of, characteristics of diffuse and conical cavities..... 139
Titanimum alloy, effect of temperature and notch geometry on the tensile behavior..... 5

V

Versatile ratio instrument for the high ratio comparison of voltage or resistance..... 169

Page

V-groove, isothermal, the apparent thermal properties of, with specularly reflecting walls..... 275
Volt boxes, console for rapid and precise comparison..... 173

W

Wiebelt, J. A., S. T. Dunn, J. C. Richmond, Ellipsoidal mirror reflectometer..... 75
Willard, W. A., W. D. Jenkins, The effect of cold-drawing on the creep behavior of a nickel 4.2 percent aluminum alloy..... 195
—, —, Effect of temperature and notch geometry on the tensile behavior of a titanium alloy..... 5
Williams, H. M., M. Gadsden, Some harmonic properties of an oscillating Fabry-Perot interferometer..... 159
Woolley, R. M., A. F. Kirstein, W. H. Pell, L. J. Davis, Deflection of centrally loaded thin circular elastic plates on equally spaced point supports..... 227

Y

Youden, W. J., S. B. Garfinkel, W. B. Mann, Design and statistical procedures for the evaluation of an automatic gamma-ray point-source calibrator..... 53

Z

Zipin, R. B., The apparent thermal radiation properties of an isothermal V-groove with specularly reflecting walls..... 275

U.S. GOVERNMENT PRINTING OFFICE : 1966 O—227-271

UNITED STATES DEPARTMENT OF COMMERCE · Alexander B. Trowbridge, *Acting Secretary*
NATIONAL BUREAU OF STANDARDS · A. V. Astin, *Director*

Engineering and Instrumentation

Section C

JOURNAL OF RESEARCH
of the
NATIONAL BUREAU OF STANDARDS

Volume 70C—January to December 1966

Papers 70C1-214 to 70C4-238

Corrections to be noted in Volume 70 of the JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation

Page	Column	Line	Now reads in part	Should read
65	2	8	F_v	P_v
		10	P_0	p_0
			$+(h/l)a_2y_v(x_v^2+y_v^2)$	$+(h/l)a_2y_v(x_p^2+y_p^2)$
66	1	19 & 34	inverting	reversing
	2	last	(p_1-p_2)	(p_2-p_1)
67	2	3	linear function of B	parameter.
		10	(P_3-P_4)	(p_4-p_3)
		15	approximate a	yield a
		39	$=a_1gR^2+$	$=a_1gY^2+$
68	2	19	(p_1-p_2)	(p_2-p_1)
69	1	5 from bottom.	$-0.126\ (P/2)\ \text{cm}^2$	$-0.126\ (\lambda/2)\ \text{cm}^{-2}$
	2	Figure 6, legend.	$\theta=45°$	$\theta=-45°$.
70	Table 3	Heading	Change heading to read: Data for computing B adjustments: $g=0$, $\theta=-45°$, and $\beta=2°$.	
		Col. 5	$(P_{12}-P_{34})/4Y$ cm	$(P_{12}-P_{34})/4Y$
71	1	Figure 10	$\theta=\frac{\pi}{4}$	$\theta=-45°$
		Figure 10, legend.	eq (9)	eq (8).
		Figure 11	$\theta=45°$	$\theta=-45°$
		Figure 11, legend.	eq (5)	eq (6).
		Table 4, col. 2.	$A\lambda/2$ cm	$A(2/\lambda)\ \text{cm}^3$
		10	$B=(a_3/f^2)\sin 2\theta$,	$(a_3/f^2)\sin 2\theta$
71	2	Table 5, heading.	$\theta=-90°$	$\theta=-45°$.
		Table 5, col. 2.	$B\lambda/2\ \text{cm}^2$	$B(2/\lambda)\ \text{cm}^3$
72	2	Table 8, col. 3.	$a_2\times 10^7\ \text{cm}^3$	$a_2\times 10^7\ \text{cm}^2$
183	2	23	footnote 4 applies)	footnote 3 applies)
228	2	17	$=z_s'-z$	$=z_s-z$
263	2	14	less that	less than
273	1	7	$\hat{\sigma}_w$,	$\hat{\sigma}_{\hat{w}}$,
		12	w	$\hat{w}$
277	2	last	and	, and

CONTENTS OF 70C

Volume 70C – No. 1 – January–March 1966

Page

Coulometric calibration of microvolumetric apparatus. George Marinenko and John K. Taylor..... 1
Effect of temperature and notch geometry on the tensile behavior of a titanium alloy. William D. Jenkins and William A. Willard..... 5
Measurement standards for low and medium peak pulse voltages. A. R. Ondrejka and P. A. Hudson..... 13
Temperature coefficient of rf permeability measurement using an impedance bridge as an equality indicating device. A. L. Rasmussen..... 19
A test apparatus for the study of forced air-mixing devices. T. K. Faison, J. C. Davis, and P. R. Achenbach..... 25

Volume 70C – No. 2 – April–June 1966

Design and statistical procedures for the evaluation of an automatic gamma-ray point-source calibrator. S. B. Garfinkel, W. B. Mann, and W. J. Youden... 53
Testing of lenses with the wave front reversing interferometer. Kazuo Muraoka..... 65
Ellipsoidal mirror reflectometer. S. Thomas Dunn, Joseph C. Richmond, and John A. Wiebelt..... 75
Reference tables for the Pt-30 percent Rh versus Pt-6 percent Rh thermocouple. George W. Burns and John S. Gallagher..... 89
Coaxial power meter calibration using a waveguide standard. Glenn F. Engen..... 127
A note on the numerical evaluation of thermal radiation characteristics of diffuse cylindrical and conical cavities. B. A. Peavy..... 139
Absolute value of g at the National Bureau of Standards. D. R. Tate..... 149

Volume 70C – No. 3 – July–September 1966

Some harmonic properties of an oscillating Fabry-Perot interferometer. M. Gadsden and H. M. Williams..... 159
Precise reflection coefficient measurements with an untuned reflectometer. W. E. Little and D. A. Ellerbruch..... 165
A versatile ratio instrument for the high ratio comparison of voltage or resistance. Alfred E. Hess..... 169
Console for the rapid and precise comparison of volt boxes. Patrick H. Lowrie, Jr..... 173
Corrosion rates of binary alloys of nickel and iron measured by polarization methods. W. J. Schwerdtfeger..... 187
The effect of cold-drawing on the creep behavior of a nickel-4.2 percent aluminum alloy. William D. Jenkins and William A. Willard..... 195
Magnetic transformation and the influence of plastic strain on the shear modulus of Fe-Cr-Ni alloys. R. P. Mikesell and R. P. Reed..... 207

Volume 70C—No. 4—October–December 1966

Page

Some techniques for measuring small mutual inductances. D. N. Homan... 221
Deflection of centrally loaded thin circular elastic plates on equally spaced point supports. A. F. Kirstein, W. H. Pell, R. M. Woolley, and L. J. Davis... 227
Reproducibility of germanium resistance thermometers at 4.2 °K. M. H. Edlow and H. H. Plumb..... 245
Calibration of vibrating-sample magnetometers. W. E. Case and R. D. Harrington..... 255
Notes on the use of propagation of error formulas. H. H. Ku..... 263
The apparent thermal radiation properties of an isothermal V-groove with specularly reflecting walls. Richard B. Zipin..... 275

U.S. GOVERNMENT PRINTING OFFICE : 1967 OL—244–811